



O&M MANUAL

ICF - STICK CANTILEVER



CONTENTS

Available Finishes

Care & Maintenance

Terms & Conditions

Details of Warranties

Sustainability Statement

Environmental Declarations

STICK CANTILEVER


FINISHES / SPECIFICATION

ICF STICK CANTILEVER



STICK CANTILEVER

ICF



TASK

SPECIFICATIONS

STICK CANTILEVER CHAIR

The Stick Chair exemplifies the pinnacle of modern multi purpose seating, seamlessly blending efficient material usage, exceptional transparency, superior comfort, lightweight construction, and effortless handling. It sets new benchmarks in design, innovation, and quality, making it the ideal choice for office environments where both functionality and aesthetics are paramount.

The Stick Chair family integrates classic functional and structural elements into a cohesive range thoughtfully developed from the outset.

Featuring various base options - including Skid, Stool, 4- and 5-Star, 4-Leg, and Cantilever bases - Stick Chairs offer comprehensive solutions for meeting rooms, visitor areas, conference settings, multi purpose zones, and private offices. The unified design language ensures visual harmony across different structures and finishes, enhancing any workspace seamlessly.

Engineered for meeting and conference settings, the Stick Cantilever base is exceptionally lightweight and compact. Its classic structure allows effortless sliding on steel surfaces and supports stacking up to 5 units. Their clean, unobtrusive design complements various work environments, from traditional offices to flexible, non traditional spaces.

The breathable suspension material ensures comfort, while the robust construction supports diverse usage scenarios without compromising on style or functionality.

The cantilever model base has a flexible tubular steel structure that allows little swinging movements and that is a damping device itself. Together with the elasticity of the mono frame upholstery, in mesh or fabric or leather, it adds additional comfort.

Stick Cantilever can be easily stacked and the weight of the stacked chairs is unloaded through the specially designed armrests covers.



SPECIFICATIONS

STICK CANTILEVER CHAIR

Structure

Die-cast aluminium side elements and crosspieces elements fixed together. The resulting frame is a rigid structure able to maintain its shape even under conditions of considerable stress and also functions as a specific support for the elastic mesh and the fabric or leather padding. Available with low or high back and in three different finishes: polished, chromed or painted.

Seat and backrest

The seat and backrest are made of a single flexible sheet in elastic material, tensioned in suspension on the perimeter structure. The mesh sheet ensures full breathability and thorough air circulation and is available in nylon mesh (single-colour - 75% vinyl resin, 25% polyester) or in elastic mesh (two-toned effect - 70% polyester elastomer, 30% polyester). The fabric or leather sheet is pressed onto a central layer of high-resistance technical material and two layers of flexible polyurethane.

Armrests

The plastic armrest have rounded edges and are fixed to base tubular section. Finish depending on the structure Optional leather armrest covers.

Base

Cantilever base in tubular steel with chromed or painted finish, diameter 20 mm.

Stackability

Stackable up to 5.



ICF STICK CANTILEVER FINISHES

Product Finishes

Steel/Aluminum Structure | Structure, base, armrests



55 | Chromed



115 | Black
Powder coated



095 | Grey
Powder coated



100 | White
Powder coated

Plastic Material | Structure, backrest handle, armrests



115 | Black



095 | Grey



100 | White


Fabric



Cat. B | Atlantic
(17 colors)




Cat. B | Mini
(7 colors)



Cat. B | Tonal
(15 colors)



Cat. C | Cura
(15 colors)




Cat. C | Mini Melange
(9 colors)




Cat. C | Sealife
(10 colors)



Cat. C | Step
(8 colors)



Cat. C | Step Melange
(8 colors)



Cat. F | Breeze Fusion
(5 colors)




Cat. F | Grain
(10 colors)




Cat. C | Sotega
(5 colors)

Mesh



Cat. N | Mesh
(5 colors)



Cat. X | Elastic Mesh
(7 colors)

Leather



Cat. E | Leather
(15 colors)



Cat. H | Premium Leather
(10 colors)

ICF

CARE & MAINTENANCE

We are seeking and selecting only materials that meet high quality standards to guarantee durable, environmentally-friendly products. To care for your product correctly, we advise: avoiding possible contact with objects, impact or accidents that could compromise product integrity; always testing detergents on a hidden spot on the product before using them on visible surfaces; cleaning the product regularly, and following the instructions contained on this sheet to protect the characteristics of the materials and products over time.

Fabric

For normal maintenance and cleaning, use often the vacuum cleaner with the appropriate part for fabric, and if necessary, cover the part with a soft cloth. Do not brush fabric and do not use vacuum cleaner with rotating brushes which could permanently damage the fabric causing pilling problems or change fabric appearance.

Remove all stains immediately using a dry detergent specifically formulated for fabrics. The longer the stain remains on the fabric, the harder it will be to remove. Do not use petroleum-based or distilled cleaners. To damp the fabric with any liquid could cause permanent damages.

Sotega

For correct maintenance, we advise regular cleaning. Clean with a microfibre cloth or a soft brush dampened with hot water and neutral soap. Do not use solvents, abrasive or chemical detergents, and/or spray polish. Oil and ink stains must be removed immediately.

Mesh

For normal cleaning, dust fabric with vacuum cleaner or with a soft brush.

In case of stains, wash with a soft brush or with a sponge using a solution of water and detergent, rinse a lot with water and let the mesh dry in open air.

Leather and saddle leather

Leather is a natural product characterised by wrinkles and scars that are proof of its quality and origin. Any sign or imperfection on the hide is a feature of the leather, showing its authenticity and its natural beauty.

To maintain the natural characteristics of leather and prevent it from drying out or hardening, we advise keeping it away from direct sunlight and/or heat sources, and treating it with protective "Leather Protection Cream", which can preserve its natural protective layer and keep it soft and supple.

To eliminate dirt and stains, use the sponge that comes in the "Leather Master Kit" with the Leather Soft Cleaner, a mild, water-based detergent that does not contain solvents. It maintains the original properties and finish of your leather product. Distribute the cleaning products uniformly over areas subjected to wear.

We recommend fully cleaning and re-protecting your furniture 2-3 times per year.

Do not use solvents, abrasive or chemical detergents, and/or spray polish.

Glass and underpainted glass

Use regularly a soft clean cloth with specific glass products. Do not use solvents or acid products.

Never use silicone based products.

Melamine, HPL and Fenix

For normal maintenance and cleaning use a soft clean cloth damp with warm water and detergents or disinfectants not too alkaline.

To avoid smears and marks wipe the whole surface with the detergent. Wipe with a soft dry cloth or with absorbent paper.

The use of acids and alkaline solutions could stain the laminate surface.

Never use silicone based products.

To obtain a better cleaning, vapor could be used.

Veener

For normal cleaning, wipe delicately with a soft damp cloth and dry carefully.

Do not use products containing solvents (stain removers, acetone, ammonia, trichloroethylene, etc.); avoid using scourers or products containing abrasive material.

Dry any drops of water or steam immediately to prevent infiltrations and pooling liquid.

Avoid setting particularly hot objects (e.i. irons) on the and do not expose furniture to weather.

Aluminium

Regularly wipe with a soft clean cloth using mild soap and water. Do not use solvents, abrasive or chemical detergents, and/or spray polish.

Chromed aluminium maintain over time the characteristics of brilliance.

Polished aluminium undergoes a natural oxidation process.

Plastic material

For normal maintenance and cleaning use a soft clean cloth with water and normal soap. Avoid any abrasive detergents such as pastes or powders, as well as aggressive detergents, such as alcohol as they may damage or stain the surface.

ICF

WARRANTY



TASK SYSTEMS
UNIT 3&4 BLOCK C GEMINI
BUSINESS PARK HORNET WAY
E6 7FF BECKTON LONDON



ICF S.p.A.
via Cassanese, 108
20060 Vignate
Milano/Italia
tel. +39. 029508031
fax +39. 0295364012
icf@icf-office.it
www.icf-office.it

Sede legale:
p.tta U. Giordano, 2
20122 Milano/Italia
c. s. euro 1.265.000 i.v.
rea 1049749 MI
r. imp. MI05923380157
p.iva c.f. 05923380157

Showroom:
p.tta U. Giordano, 2
20122 Milano/Italia
tel. +39. 0276000583
fax +39. 0276013295
icfmilano@icf-office.it

WARRANTY PRODUCT

ICF warrants that the Product is free from defects in materials and manufacturing. ICF will repair or replace, at its own discretion, any product, part of product or components which will arise to be defective during the use or in the finishing.

All costs for materials and manpower necessary for reparation or replacement of defective products will be completely at ICF charge, while transport costs to ICF factory (Vignate – Milan) and from ICF are at client's expenses.

This warranty applies from the date of delivery of the product, independently from the actual date of use and it is valid only for the original customer. ICF reserves the right not to extend the warranty to other customers who should succeed in the use of the products.

This warranty refers to products used by a single user (single work shift) for a total of n.40 weekly hours.

All the products, parts of product and components will be installed and maintained according to user instruction published by ICF and won't be subject to improper use or mistreatment.

WARRANTY PERIOD:

The period of warranty starts from the delivery of the products and it is valid for:

- **5 YEARS** with the restrictions listed below.

Restrictions:

- 2 YEARS: castors and glides
- 3 YEARS: gas lift
- 2 YEARS: Replacement parts

This warranty does not apply to:

- Normal deterioration of the materials and of the mechanical parts.
- Non-respect of the usage procedures and of the product maintenance.
- Breakage or deterioration caused by improper use, mistreatment or accident.
- Unauthorized modification or alteration or reparation of the product.
- Change in colour or aspect that could occur with polished aluminium.
- Change in colour and/or weave among different batches of production.
- Breakages due to the use of sharp objects (i.e. tools, jewels, keys).
- Products used for rental.

ICF is not responsible for possible consequential or accidental damages (including costs) caused in any way, loss of time, inconveniences and sales loss suffered by the user or third party due to a possible defect of the product.

Vignate, 05/06/2017

ICF S.p.A.
Claudio Sangiorgio
Managing Director

ICF

TERMS & CONDITIONS



General sales conditions

General sales conditions will be applied to all ICF sales. Any different or particular condition has to be considered invalid unless approved in writing by ICF.

Purchase Orders

Purchase orders are made in writing and are deemed to be accepted by ICF only upon provision of an order confirmation to customers. Customers are required to check and verify the order confirmation and return it to ICF signed for acceptance. ICF reserves the right to decline a purchase order at its sole discretion and for any reason.

Price

Unless otherwise agreed by ICF in writing the price for the goods shall be the price set out in the ICF price list published on the date of the order of the goods by the buyer. VAT is always paid by the purchaser.

The price is understood to be ex works at the premises of ICF and does not include costs and charges for additional or special services, packaging in wooden boxes, transportation, shipping, assembly, installation, goods unloading, removal/disposal of packaging and/or insurance, unless expressly indicated in the order confirmation. The products remain under the ownership of ICF until the full price has been paid.

Changes | Cancellation and Penalty

ICF reserves the right to assess any requests for minor changes to the order confirmation provided that those requests received in writing within 2 days of the order confirmation date. Changes shall only be deemed to be accepted upon provision of a new order confirmation which, in replacing the previous version, may contain price increases and/or alterations to the previously established sales conditions.

ICF does not accept order confirmation cancellations and, in the case of cancellation, customers will be required to pay a penalty.

Payment of the Price and Default Interest

Purchasers is required to pay the price to ICF by the methods and due dates indicated in the order confirmation. Payment for the sale of components, accessories, fabrics or repairs is made in advance. Default interest is incurred by purchasers, on the sums due to ICF, from the due date up until payment of the balance, in accordance with Italian Legislative Decree no. 231/02.

Delivery | Collection | Transportation | Shipping

The terms of delivery, shipping and/or transportation shown by the order confirmation are merely indicative, unless otherwise specified. The delivery is understood to be made ex works at the premises of ICF. Purchasers are required to collect the order within 10 days from the communication that the goods are ready for delivery. Any collection beyond that deadline incurs for purchasers a penalty amounting to 3% of the sale price.

ICF will not be liable for any direct, indirect or consequential loss, costs damages, charges or expenses caused indirectly by any delay in the delivery of the goods that are completely or partially incomplete for the following reasons:

- payment procedures not maintained by the buyer;
- necessary information requested and not received in due time;
- delays due to Force Majeure (strikes, union problems, supplier's delays, transport problems, accidents, fires, meteorological events or any cause that cannot be controlled by ICF).

Request for Delayed Delivery of Goods

Any request for delayed delivery must be received in writing by ICF at least 3 days prior to the agreed delivery term. ICF will store the goods free of charge for the first 48 hours, subject to the reimbursement of costs incurred. For any longer storage period, purchasers are required to pay a daily charge amounting to 1% of the sale price.

Complaints | Returns and Repairs

Customers are required to check the goods upon delivery and to record on the goods delivery note any damage visible on the packaging itself. Any complaints must be received in writing by ICF within 2 days from delivery. Differences between products purchased at different times may not be subject to complaints. ICF is not liable for damages after delivery or caused by purchasers or third parties. Repair costs are borne by the purchasers. ICF does not accept returns unless expressly authorised in writing. Authorised returns are understood to be delivered carriage paid to the premises of ICF.

Warranties

ICF products are covered by legal warranties for defects and/or lack of quality. The terms for reporting and exercising the action are those established by law. The warranty does not cover the product in each of its parts and/or components if it has not been installed, commissioned, used and/or maintained in accordance with ICF instructions. The warranty does not cover and/or marks caused by impacts, incidental contact between products themselves and/or other furniture, incidents or foreign body. Defects or lack of quality that may be reported do not include any deformities and/or variations in shades of colour, grain or texture of wood or marble or leather nor any folds of fabric, mesh or leather in the corner areas and/or curves of the seats, as these variations are due to natural and/or structural aspects of the material which are not attributable to ICF.

Privacy Information Notice

ICF S.p.A., Via Cassanese 108, Vignate (MI) - ITALY, as Processing Controller, hereby informs you that data provided by customers for management of the contractual relationship is mandatory and is processed in accordance with Italian Legislative Decree no. 196/03 (so-called Privacy Code) in paper, computer and/or electronic format by the member of staff instructed to fulfil the requirements of an administrative, accounts or fiscal nature and/or for legal obligations and that it may be communicated to third parties for those purposes. By sending the purchase order and accepting these general conditions of sale, customers authorise the processing of data provided for the aforementioned purposes. Customers retain the rights identified at Art. 7 of Italian Legislative Decree no. 196/03, including: the right of access to their data, request for information on processing, rectification, update, addition and/or cancellation of data, objection to data processing. Customers may exercise these rights by making a request to ICF S.p.A.

Applicable Law and Court with Jurisdiction

ICF sales are understood to be made at its headquarters in Italy and are regulated by Italian law. For any dispute, the Court of Milan shall have exclusive jurisdiction.

Domicile

For reports, complaints, requests and/or information:

ICF S.p.A.

Via Cassanese 108, 20052 Vignate (MI) - ITALY

Tel. +39 02 9508031 - Fax +39 02 95364012

info@icf-office.it - www.icf-office.it


ICF

SUSTAINABILITY STATEMENTS

SUSTAINABILITY

Our design and production philosophy is based on the pursuit of simplicity in order to create sustainable and durable collections. Our products have an unmistakeable design which however is subjected to the carefull evaluation of any possible aspects to improve sustainability, durability and recyclability in accordance with the highest international standards. We believe that our responsible approach may effectively reduce environmental impact of our products throughout the entire lifecycle of the various components. We do not use chemicals hazardous or dangerous to the environment, and the materials we use are tested and evaluated for potentially harmful effects on human health and the environment. Where possible, we reduce packaging materials to a minimum, which also optimises transport volume.

Stick Cantilever




Materials		%
Metal	●	60
Aluminum	●	21
Plastic	●	16
Miscellaneous	●	3
Total		12.0 kg

The materials we select meet high quality standards, guaranteeing durable and eco-friendly products.

At ICF, we use:

- Ecological and/or post-consumer recycled materials;
- Products free from formaldehyde and toxic substances;
- Finishes free from hexavalent chromium.

Each component of the seat can be disassembled for repair, reuse and recycling.



		%
Recycling	●	97
Not recycling	●	3

Stick Cantilever is a chair weighing approximately 12.0 kg and approximately 97% recyclable when completely and correctly separated.

Stick Chair Cantilever is conceived in accordance with the guidelines of eco-design, a technical methodology applied during design of a product in order to reduce that product's carbon footprint and environmental impact.

Note:

Material and Recycling content percentages may vary depending on the specific model evaluated and consequently of the structural materials and finishes of the considered model.

The above sustainability contents refer to model ATK.720.

Certifications

- EN 16139:2013 - 1st level
- VOC Emission Test Report in compliance with AgBB (Mini and Mini Melange upholsterys)
- CAM (Mini and Mini Melange upholsterys)
- Leed V4/V4.1 Beta (Mini and Mini Melange upholsterys)
- Fire retardant Class 1 IM (Mini, Mini Melange, Sotega and Leather upholsterys)
- Fire retardant Class 1 (Mesh upholstery)



Italia

CERTIFICATO

Nr. 50 100 12320 Rev.003

SI ATTESTA CHE / THIS IS TO CERTIFY THAT

IL SISTEMA DI GESTIONE PER LA QUALITÀ DI
THE QUALITY MANAGEMENT SYSTEM OF

ICF

ICF S.p.A.

SEDE LEGALE E OPERATIVA:
REGISTERED OFFICE AND OPERATIONAL SITE:PIAZZETTA GIORDANO UMBERTO 2
IT - 20122 MILANO (MI)SEDE OPERATIVA:
OPERATIONAL SITE:STRADA PROVINCIALE CASSANESE 108
IT - 20052 VIGNATE (MI)È CONFORME AI REQUISITI DELLA NORMA
HAS BEEN FOUND TO COMPLY WITH THE REQUIREMENTS OF

UNI EN ISO 9001:2015

QUESTO CERTIFICATO È VALIDO PER IL SEGUENTE CAMPO DI APPLICAZIONE
THIS CERTIFICATE IS VALID FOR THE FOLLOWING SCOPE OF APPLICATION

Progettazione, fabbricazione, commercializzazione e posa in opera di sedute, poltrone e arredi per ufficio e collettività mediante cucitura ed assemblaggio (IAF 23, 29)

Design, engineering, manufacturing, trading and installation of armchairs and furniture for office and multi-purpose spaces by sewing and assembling (IAF 23, 29)

Per l'Organismo di Certificazione
For the Certification Body
TÜV Italia S.r.l.

Validità / Validity

Dal / From: 2023-01-09

Al / To: 2026-01-08



SGQ N° 049A

Membro degli Accordi di Mutuo Riconoscimento
EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual
Recognition Agreements

Francesco Scarlata

Direttore Divisione Business Assurance
Business Assurance Division ManagerData emissione /
Issuing Date

2022-12-29

PRIMA CERTIFICAZIONE / FIRST CERTIFICATION: 2014-01-09

"LA VALIDITÀ DEL PRESENTE CERTIFICATO È SUBORDINATA A SORVEGLIANZA PERIODICA A 12 MESI E AL RIESAME COMPLETO DEL SISTEMA DI GESTIONE AZIENDALE CON PERIODICITÀ TRIENNALE"

"THE VALIDITY OF THE PRESENT CERTIFICATE DEPENDS ON THE ANNUAL SURVEILLANCE EVERY 12 MONTHS AND ON THE COMPLETE REVIEW OF COMPANY'S MANAGEMENT SYSTEM AFTER THREE-YEARS"



Italia

CERTIFICATO

Nr. 50 100 12319 Rev.003

SI ATTESTA CHE / THIS IS TO CERTIFY THAT

IL SISTEMA DI GESTIONE AMBIENTALE DI
THE ENVIRONMENTAL MANAGEMENT SYSTEM OF

ICF

ICF S.p.A.

SEDE LEGALE E OPERATIVA:
REGISTERED OFFICE AND OPERATIONAL SITE:PIAZZETTA GIORDANO UMBERTO 2
IT - 20122 MILANO (MI)SEDE OPERATIVA:
OPERATIONAL SITE:STRADA PROVINCIALE CASSANESE 108
IT - 20052 VIGNATE (MI)È CONFORME AI REQUISITI DELLA NORMA
HAS BEEN FOUND TO COMPLY WITH THE REQUIREMENTS OF

UNI EN ISO 14001:2015

QUESTO CERTIFICATO È VALIDO PER IL SEGUENTE CAMPO DI APPLICAZIONE
THIS CERTIFICATE IS VALID FOR THE FOLLOWING SCOPE OF APPLICATION

Progettazione, fabbricazione, commercializzazione e posa in opera di sedute, poltrone e arredi per ufficio e collettività mediante cucitura ed assemblaggio (IAF 23, 29)

Design, engineering, manufacturing, trading and installation of armchairs and furniture for office and multi-purpose spaces by sewing and assembling (IAF 23, 29)

CERTIFICAZIONE RILASCIATA IN CONFORMITÀ AL REGOLAMENTO TECNICO ACCREDIA RT-09
CERTIFICATION ISSUED IN ACCORDANCE TO ACCREDIA TECHNICAL REGULATION RT-09

SGA N° 018D

Membro degli Accordi di Mutuo Riconoscimento
EA, IAF e ILAC
Signatory of EA, IAF and ILAC Mutual
Recognition Agreements

Per l'Organismo di Certificazione
For the Certification Body
TÜV Italia S.r.l.

Validità / Validity

Dal / From: 2023-01-07

Al / To: 2026-01-06

Francesco Scarlata

Direttore Divisione Business Assurance
Business Assurance Division Manager

Data emissione / Issuing Date:

2022-12-29

PRIMA CERTIFICAZIONE / FIRST CERTIFICATION: 2014-01-07

"LA VALIDITÀ DEL PRESENTE CERTIFICATO È SUBORDINATA A SORVEGLIANZA PERIODICA A 12 MESI E AL RIESAME COMPLETO DEL SISTEMA DI GESTIONE AZIENDALE CON PERIODICITÀ TRIENNALE"
"THE VALIDITY OF THE PRESENT CERTIFICATE DEPENDS ON THE ANNUAL SURVEILLANCE EVERY 12 MONTHS AND ON THE COMPLETE REVIEW OF COMPANY'S MANAGEMENT SYSTEM AFTER THREE-YEARS"

ICF

ENVIRONMENTAL DECLARATIONS

Attestation

AgBB

On 26 January 2022, Eurofins Product Testing A/S received a sample of a panel with the product name:

Stick Chair - Mini / Mini Melange Fabric upholstery

supplied by

ICF S.p.A.

The emissions were tested according to AgBB (AgBB - Committee for Health-related Evaluation of Building Products). Sampling, testing and evaluation were performed according to ISO 16000-3, ISO 16000-6, ISO 16000-9, ISO 16000-11, ISO 16017-1 in the latest versions (see the test report no. 392-2022-0034801_D_EN).

Evaluation of the emission test result according to AgBB:

- Carcinogenic substances were not detectable after 3 and after 28 days.
- The sum of VOC ("TVOC") after 3 days was below the limit of 10 mg/m³.
- The sum of VOC ("TVOC") after 28 days was below the limit of 1 mg/m³.
- The sum of SVOC after 28 day was below the limit of 0.1 mg/m³.
- After 28 days the value R was calculated from the detected VOC with single concentrations above 5 µg/m³. This value R was below the limit of 1.
- The sum of VOC without LCI-value after 28 days was below the limit of 0.1 mg/m³.
- Formaldehyde after 28 days was below the limit of 0.1 mg/m³.

The tested product complies with the requirements of AgBB including the LCI-values (June 2021) for use in the indoor environment.

7 March 2022



Pernille Krintel
Analytical Service Manager



Rasmus Verdier
Analytical Service Manager

Declaration of conformity

n° 11917 / 2017

According to the results of the following tests:

EN 16139 test report n. 238306- 1/2017
EN 16139 test report n. 238306- 2/2017
EN 1728 test report n. 238306- 3/2017
EN 1728 test report n. 238306- 4/2017
EN 1728 test report n. 238306- 5/2017
EN 1728 test report n. 238306- 6/2017
EN 1728 test report n. 238306- 7/2017
EN 1728 test report n. 238306- 8/2017
EN 1728 test report n. 238306- 9/2017
EN 1728 test report n. 238306-10/2017
EN 1728 test report n. 238306-11/2017
EN 1728 test report n. 238306-12/2017
EN 1728 test report n. 238306-13/2017
EN 1728 test report n. 238306-14/2017
EN 1022 test report n. 238306-15/2017

we hereby testify that



ATK.710 STICK CHAIR

of company

ICF S.P.A. - VIA CASSANESE, 108 - 20060 VIGNATE (MI)ITALIA

**complies with the strenght, durability and safety requirements of
1st level of EN 16139:2013**

*This document is validated by digital signature and time stamping in accordance
with the Italian laws and the European Directives which regulate the electronic
signature systems.*

Il Direttore
dott. Andrea Gravan

17 Ottobre 2017



TASKSYSTEMS.CO.UK

020 7540 6400
INFO@TASKSYSTEMS.CO.UK